

PRODUCT-DETAILS

E 92/32 PV

E 92/32 PV Fuse disconnecter



Informations générales

Extension du type de produit	E 92/32 PV
Code de produit	2CSM204703R1801
EAN	8012542047032
Description courte	E 92/32 PV Fuse disconnecter
Description longue	E 92/32 PV is a fuseholder for overcurrent and short circuit protection in PV applications. No blown fuse indicator.

Technique

Type de produit	Fuse disconnecter
Tension nominale (U_r)	1000 V
Tension	1000 V DC
Voltage Range	1000 V DC
Courant nominal (I_n)	32 A
Rated Primary Current (I_{pn})	32 A
Power Loss	at Rated Operating Conditions per Pole 3 W
Nombre de pôles	2
Number of Protected Poles	2

Utilization Category	Connecting and disconnecting under no-load conditions - occasional actuation (DC-20B)
Type de montage	DIN rail
Options Provided	No
Fuse Size	10x38 mm

Environnement

Indice de protection	IP20
RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	See RoHS Information

Dimensions

Width in Number of Modular Spacings	2
Produit Largeur Net	0.035 m
Produit Hauteur Net	0.085 m
Produit Longueur Net	0.064 m
Poids net	0.122 kg
Dimensions	2 module
Profondeur d'encastrement (t ₂)	64 mm

Emballage

Emballage Niveau 1 Unités	3 pièce
Emballage Niveau 1 Largeur	0.105 m
Emballage Niveau 1 Hauteur	0.085 m
Emballage Niveau 1 Longueur	0.064 m
Emballage Niveau 1 Poids	0.369 kg
Emballage Niveau 1 EAN	8012542047049

Commande

Quantité minimum	1 pièce
Code douanier	85361010
E-Number (Sweden)	2318054
Pays d'origine	Romania (RO)
Unité de mesure	pièce

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CSC444003D2701
--------------------------------	-----------------

Environmental Information	See RoHS Information
Instructions et manuels	No document needed
RoHS Information	2CSC444011K2701

Downloads Préférés

Fiche produit, informations techniques	2CSC444002B0204
Instructions et manuels	No document needed

Classifications

ETIM 6	EC002705 - support pour fusible cylindrique
ETIM 7	EC002705 - Holder for cylindrical fuse
ETIM 8	EC002705 - Holder for cylindrical fuse
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
DEEE B2C / B2B	Business To Consumer
CN8	85361010
Object Classification Code	F

Accessories

Identifiant	Description	Type	Quantity	Unit Of Measure
2CSM213456R1801	E 9F1 PV Fuse link	E 9F1 PV	1	piece
2CSM213466R1801	E 9F2 PV Fuse link	E 9F2 PV	1	piece
2CSM213476R1801	E 9F3 PV Fuse link	E 9F3 PV	1	piece
2CSM213486R1801	E 9F4 PV Fuse link	E 9F4 PV	1	piece
2CSM213496R1801	E 9F5 PV Fuse link	E 9F5 PV	1	piece
2CSM213506R1801	E 9F6 PV Fuse link	E 9F6 PV	1	piece
2CSM213516R1801	E 9F7 PV Fuse link	E 9F7 PV	1	piece
2CSM213526R1801	E 9F8 PV Fuse link	E 9F8 PV	1	piece
2CSM213536R1801	E 9F10 PV Fuse link	E 9F10 PV	1	piece
2CSM213546R1801	E 9F12 PV Fuse link	E 9F12 PV	1	piece
2CSM213556R1801	E 9F15 PV Fuse link	E 9F15 PV	1	piece
2CSM213566R1801	E 9F20 PV Fuse link	E 9F20 PV	1	piece
2CSM213576R1801	E 9F25 PV Fuse link	E 9F25 PV	1	piece
2CSM213586R1801	E 9F30 PV Fuse link	E 9F30 PV	1	piece

Catégories

Produits basse tension → Appareillage modulaire et parafoudres → Protection and Safety Devices → Cylindrical Fuse Holders and Fuse Switch Disconnectors

