

Product Environmental Profile

RZM Protection Module






General information

| | |
|----------------------------|--|
| Reference product | RZM Protection Module - RZM021FP |
| Description of the product | This protection module enables safety to your relay which helps to protect both people and system from electrical shock. |
| Description of the range | Single product |
| Functional unit | Harmony varistor with LED has rated voltage of 110V to 230V AC/DC. It has a light weight and compatible with socket RSZ with 1 and 2 change over contacts. It helps to protect both people and system from electrical shock during 20 years against transient over voltages electrical equipments connected to electrical networks with rated operational voltage up to 1000 V AC or 1500 V DC |



Constituent materials

| | | |
|------------------------|-------|---|
| Reference product mass | 3.6 g | including the product, its packaging, additional elements and accessories |
|------------------------|-------|---|



| | |
|----------|-------|
| Plastics | 41.2% |
| Metals | 5.6% |
| Others | 53.2% |



Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric website

<https://www.se.com>



Additional environmental information

| | | | |
|-------------|--------------------------|----|--|
| End Of Life | Recyclability potential: | 6% | The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability). |
|-------------|--------------------------|----|--|

| | Environmental impacts | | | |
|----------------------------------|---|--|--|---|
| Reference service life time | 20 years | | | |
| Product category | Other equipments - Passive product - continuous operation | | | |
| Life cycle of the product | The manufacturing, the distribution, the installation, the use and the end of life were taken into consideration in this study | | | |
| Electricity consumption | The electricity consumed during manufacturing processes is considered for each part of the product individually, the final assembly generates a negligible consumption | | | |
| Installation elements | No special components needed | | | |
| Use scenario | The product is in active mode 100% use rate and 30% load rate with a power use of 0.105W for 20 years | | | |
| Time representativeness | The collected data are representative of the year 2024 | | | |
| Technological representativeness | The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and representative of the actual type of technologies used to make the product. | | | |
| Geographical representativeness | Final assembly site | | Use phase | |
| | China | | Global | |
| Energy model used | [A1 - A3] | | [A5] | [B6] |
| | Electricity Mix; High voltage; 2020; China, CN | | No energy used | Electricity Mix; Low voltage; 2020; Global, GLO |
| | | | [C1 - C4] | |
| | | | Global, European and French datasets are used. | |

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - <http://www.se.com/contact>

| Mandatory Indicators | | | RZM Protection Module - RZM021FP | | | | | |
|--|--------------|--------------------------|----------------------------------|---------------------|---------------------|-----------------|-------------------------|--------------------------|
| Impact indicators | Unit | Total (without Module D) | [A1 - A3] - Manufacturing | [A4] - Distribution | [A5] - Installation | [B1 - B7] - Use | [C1 - C4] - End of life | [D] - Benefits and loads |
| Contribution to climate change | kg CO2 eq | 8.80E-01 | 6.62E-02 | 2.54E-03 | 0* | 8.02E-01 | 8.83E-03 | -9.29E-04 |
| Contribution to climate change-fossil | kg CO2 eq | 8.72E-01 | 6.64E-02 | 2.54E-03 | 0* | 7.94E-01 | 8.83E-03 | -9.27E-04 |
| Contribution to climate change-biogenic | kg CO2 eq | 8.36E-03 | 0* | 0* | 0* | 8.48E-03 | 0* | -2.20E-06 |
| Contribution to climate change-land use and land use change | kg CO2 eq | 1.70E-10 | 1.70E-10 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to ozone depletion | kg CFC-11 eq | 1.18E-08 | 6.21E-09 | 2.24E-09 | 0* | 3.37E-09 | 6.96E-12 | -2.86E-10 |
| Contribution to acidification | mol H+ eq | 4.67E-03 | 5.29E-04 | 1.09E-05 | 0* | 4.12E-03 | 7.58E-06 | -5.03E-06 |
| Contribution to eutrophication, freshwater | kg P eq | 1.87E-06 | 5.97E-07 | 2.98E-10 | 0* | 1.24E-06 | 3.24E-08 | -2.84E-09 |
| Contribution to eutrophication, marine | kg N eq | 5.70E-04 | 6.86E-05 | 4.98E-06 | 0* | 4.93E-04 | 3.07E-06 | -5.08E-07 |
| Contribution to eutrophication, terrestrial | mol N eq | 7.17E-03 | 7.22E-04 | 5.40E-05 | 0* | 6.36E-03 | 3.26E-05 | -5.68E-06 |
| Contribution to photochemical ozone formation - human health | kg COVNM eq | 1.88E-03 | 2.38E-04 | 1.78E-05 | 0* | 1.61E-03 | 8.32E-06 | -2.18E-06 |
| Contribution to resource use, minerals and metals | kg Sb eq | 4.36E-05 | 4.34E-05 | 0* | 0* | 1.70E-07 | 0* | -1.36E-07 |
| Contribution to resource use, fossils | MJ | 1.83E+01 | 1.25E+00 | 3.16E-02 | 0* | 1.69E+01 | 5.20E-02 | -1.29E-02 |
| Contribution to water use | m3 eq | 6.85E-02 | 1.89E-02 | 1.29E-04 | 0* | 4.90E-02 | 5.94E-04 | -4.15E-04 |

| Inventory flows Indicators | | | RZM Protection Module - RZM021FP | | | | | |
|---|------|--------------------------|----------------------------------|---------------------|---------------------|-----------------|-------------------------|--------------------------|
| Inventory flows | Unit | Total (without Module D) | [A1 - A3] - Manufacturing | [A4] - Distribution | [A5] - Installation | [B1 - B7] - Use | [C1 - C4] - End of life | [D] - Benefits and loads |
| Contribution to renewable primary energy used as energy | MJ | 2.76E+00 | 1.20E-02 | 0* | 0* | 2.75E+00 | 0* | -8.79E-05 |
| Contribution to renewable primary energy used as raw material | MJ | 9.93E-03 | 9.93E-03 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to total renewable primary energy | MJ | 2.77E+00 | 2.19E-02 | 0* | 0* | 2.75E+00 | 0* | -8.79E-05 |
| Contribution to non renewable primary energy used as energy | MJ | 1.82E+01 | 1.18E+00 | 3.16E-02 | 0* | 1.69E+01 | 5.20E-02 | -1.29E-02 |
| Contribution to non renewable primary energy used as raw material | MJ | 6.54E-02 | 6.54E-02 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to total non renewable primary energy | MJ | 1.83E+01 | 1.25E+00 | 3.16E-02 | 0* | 1.69E+01 | 5.20E-02 | -1.29E-02 |
| Contribution to use of secondary material | kg | 2.44E-06 | 2.44E-06 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to use of renewable secondary fuels | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to use of non renewable secondary fuels | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to net use of fresh water | m³ | 1.60E-03 | 4.39E-04 | 3.00E-06 | 0* | 1.14E-03 | 1.38E-05 | -9.67E-06 |
| Contribution to hazardous waste disposed | kg | 5.81E-02 | 3.80E-02 | 0* | 0* | 1.87E-02 | 1.41E-03 | -9.83E-03 |
| Contribution to non hazardous waste disposed | kg | 1.83E-01 | 5.46E-02 | 0* | 0* | 1.27E-01 | 1.58E-03 | -3.26E-04 |
| Contribution to radioactive waste disposed | kg | 3.32E-05 | 7.41E-06 | 5.05E-07 | 0* | 2.52E-05 | 6.80E-08 | -1.56E-07 |
| Contribution to components for reuse | kg | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to materials for recycling | kg | 2.11E-04 | 1.47E-05 | 0* | 0* | 0* | 1.96E-04 | 0.00E+00 |
| Contribution to materials for energy recovery | kg | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to exported energy | MJ | 2.15E-06 | 2.08E-07 | 0* | 0* | 0* | 1.94E-06 | 0.00E+00 |

* represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product kg of C 0.00E+00

Contribution to biogenic carbon content of the associated packaging kg of C 1.39E-04

* The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%), EN16485 for Wood (39,52%), and APESA/RECORD for Paper (37,8%)

| Mandatory Indicators | | RZM Protection Module - RZM021FP | | | | | | | |
|---|--------------|----------------------------------|------|------|------|------|------|----------|------|
| Impact indicators | Unit | [B1 - B7] - Use | [B1] | [B2] | [B3] | [B4] | [B5] | [B6] | [B7] |
| Contribution to climate change | kg CO2 eq | 8.02E-01 | 0* | 0* | 0* | 0* | 0* | 8.02E-01 | 0* |
| Contribution to climate change-fossil | kg CO2 eq | 7.94E-01 | 0* | 0* | 0* | 0* | 0* | 7.94E-01 | 0* |
| Contribution to climate change-biogenic | kg CO2 eq | 8.48E-03 | 0* | 0* | 0* | 0* | 0* | 8.48E-03 | 0* |
| Contribution to climate change-land use and land use change | kg CO2 eq | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to ozone depletion | kg CFC-11 eq | 3.37E-09 | 0* | 0* | 0* | 0* | 0* | 3.37E-09 | 0* |
| Contribution to acidification | mol H+ eq | 4.12E-03 | 0* | 0* | 0* | 0* | 0* | 4.12E-03 | 0* |
| Contribution to eutrophication, freshwater | kg P eq | 1.24E-06 | 0* | 0* | 0* | 0* | 0* | 1.24E-06 | 0* |
| Contribution to eutrophication marine | kg N eq | 4.93E-04 | 0* | 0* | 0* | 0* | 0* | 4.93E-04 | 0* |
| Contribution to eutrophication, terrestrial | mol N eq | 6.36E-03 | 0* | 0* | 0* | 0* | 0* | 6.36E-03 | 0* |
| Contribution to photochemical ozone formation - human health | kg COVNM eq | 1.61E-03 | 0* | 0* | 0* | 0* | 0* | 1.61E-03 | 0* |
| Contribution to resource use, minerals and metals | kg Sb eq | 1.70E-07 | 0* | 0* | 0* | 0* | 0* | 1.70E-07 | 0* |
| Contribution to resource use, fossils | MJ | 1.69E+01 | 0* | 0* | 0* | 0* | 0* | 1.69E+01 | 0* |
| Contribution to water use | m3 eq | 4.90E-02 | 0* | 0* | 0* | 0* | 0* | 4.90E-02 | 0* |
| Inventory flows Indicators | | RZM Protection Module - RZM021FP | | | | | | | |
| Inventory flows | Unit | [B1 - B7] - Use | [B1] | [B2] | [B3] | [B4] | [B5] | [B6] | [B7] |
| Contribution to use of renewable primary energy excluding renewable primary energy used as raw material | MJ | 2.75E+00 | 0* | 0* | 0* | 0* | 0* | 2.75E+00 | 0* |
| Contribution to use of renewable primary energy resources used as raw material | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to total use of renewable primary energy resources | MJ | 2.75E+00 | 0* | 0* | 0* | 0* | 0* | 2.75E+00 | 0* |
| Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw | MJ | 1.69E+01 | 0* | 0* | 0* | 0* | 0* | 1.69E+01 | 0* |
| Contribution to use of non renewable primary energy resources used as raw material | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to total use of non-renewable primary energy resources | MJ | 1.69E+01 | 0* | 0* | 0* | 0* | 0* | 1.69E+01 | 0* |
| Contribution to use of secondary material | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to use of renewable secondary fuels | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to use of non renewable secondary fuels | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to net use of freshwater | m³ | 1.14E-03 | 0* | 0* | 0* | 0* | 0* | 1.14E-03 | 0* |
| Contribution to hazardous waste disposed | kg | 1.87E-02 | 0* | 0* | 0* | 0* | 0* | 1.87E-02 | 0* |
| Contribution to non hazardous waste disposed | kg | 1.27E-01 | 0* | 0* | 0* | 0* | 0* | 1.27E-01 | 0* |
| Contribution to radioactive waste disposed | kg | 2.52E-05 | 0* | 0* | 0* | 0* | 0* | 2.52E-05 | 0* |
| Contribution to components for reuse | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to materials for recycling | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to materials for energy recovery | kg | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |
| Contribution to exported energy | MJ | 0* | 0* | 0* | 0* | 0* | 0* | 0* | 0* |

* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2.4, database version 2024-01 in compliance with ISO14044, EF3.1 method is applied, for biogenic carbon storage, assessment methodology -1/1 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

| | | | |
|---|------------------|-------------------------------------|--|
| Registration number : | ENVPEP2502012_V1 | Drafting rules | PEP-PCR-ed4-2021 09 06 |
| Date of issue | 02-2025 | Supplemented by | PSR-0005-ed3-2023 06 06 |
| | | Information and reference documents | www.pep-ecopassport.org |
| | | Validity period | 5 years |
| Independent verification of the declaration and data, in compliance with ISO 14021 : 2016 | | | |
| Internal | X | External | |
| The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain) | | | |
| PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022 | | | |
| The components of the present PEP may not be compared with components from any other program. | | | |
| Document complies with ISO 14021:2016 "Environmental labels and declarations. Type II environmental declarations" | | | |

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.se.com/contact>
Head Office
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVPEP2502012_V1

Published by Schneider Electric
©2024 - Schneider Electric – All rights reserved

02-2025