

# Product Environmental Profile

## PowerLogic PFC Capacitors



**Schneider**  
Electric




## General information

Reference product	PowerLogic PFC Capacitors - BLRCH250A300B40
Description of the product	PFC capacitors are low voltage cylindrical capacitor specially designed to deliver high performance in harsh condition to ensure 30% extended life compared to standard capacitor. They can be used in fixed and automatic power factor correction system, In networks with frequently switched loads and harmonic disturbance. PFC capacitors must be selected depending on the working conditions expected during their lifetime. Since the harmonics are caused by non-linear loads, an indicator for the magnitude of harmonics is the ratio NLL of the total power of non-linear loads to the power supply transformer rating.
Description of the range	Single product
Functional unit	To supply the rated reactive energy at rated supply voltage both in 50 & 60Hz to improve the power factor in the networks according to the IEC 60831- Part 1 &2
Specifications are:	Technical datas: - High life expectancy up to 130,000 hours. - Voltage up to 830 V - High power ratings from 1 to 57.1 kvar at Max. 55 °C - High power ratings > 57.1 kvar upto 68 kvar at Max. 50 °C - High inrush current withstand up to 250 x In - Harmonic content withstand ≤ 20% - Mounting Indoor, Upright as well as Horizontal - Compliant with standards IEC 60831-1 and -2.



## Constituent materials

Reference product mass	3030 g including the product, its packaging and additional elements and accessories
------------------------	---



Plastics	58.06%
Metals	14.9%
Others	27.1%



## Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website

<https://www.se.com/ww/en/work/support/green-premium/>



## Additional environmental information

End Of Life	Recyclability potential:	20%	The recyclability rate was calculated from the recycling rates of each material making up the product with the exception of data using the ESR database. For materials or components using the ESR database or the absence of data the conservative hypothesis "0% recyclability" was used.
-------------	--------------------------	-----	---



## Environmental impacts

Reference service life time	20 years			
Product category	Other equipments - Passive product - non-continuous operation			
Installation elements	No special components needed			
Use scenario	In Passive mode, Capacitor is considered to be charged and hence, Power Consumption = Watt loss/KVAr * KVAr rating of Capacitor. For e.g for a 25KVAr capacitor with watt loss of 0.5 watts/KVAr, Power consumption = 0.5*25 = 12.5 Watts.			
Time representativeness	The collected data are representative of the year			
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and representative of the actual type of technologies used to make the product.			
Geographical representativeness	Rest of the World			
Energy model used	[A1 - A3]	[A5]	[B6]	[C1 - C4]
	Electricity Mix; Low voltage; 2018; India, IN	Electricity Mix; Low voltage; 2018; Egypt, EG	Electricity Mix; Low voltage; 2018; Egypt, EG	Electricity Mix; Low voltage; 2018; Egypt, EG
		Electricity Mix; Low voltage; 2018; Thailand, TH	Electricity Mix; Low voltage; 2018; Thailand, TH	Electricity Mix; Low voltage; 2018; Thailand, TH
		Electricity Mix; Low voltage; 2018; Indonesia, ID	Electricity Mix; Low voltage; 2018; Indonesia, ID	Electricity Mix; Low voltage; 2018; Indonesia, ID
		Electricity Mix; Low voltage; 2018; Turkey, TR	Electricity Mix; Low voltage; 2018; Turkey, TR	Electricity Mix; Low voltage; 2018; Turkey, TR
		Electricity Mix; Low voltage; 2018; Argentina, AR	Electricity Mix; Low voltage; 2018; Argentina, AR	Electricity Mix; Low voltage; 2018; Argentina, AR

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - <http://www.schneider-electric.com/contact>

Mandatory Indicators		PowerLogic PFC Capacitors - BLRCH250A300B40						
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to climate change	kg CO2 eq	6.99E+02	3.91E+01	4.59E+00	0*	6.48E+02	7.21E+00	-6.42E+00
Contribution to climate change-fossil	kg CO2 eq	6.98E+02	3.84E+01	4.59E+00	0*	6.47E+02	7.18E+00	-6.23E+00
Contribution to climate change-biogenic	kg CO2 eq	1.75E+00	6.77E-01	0*	0*	1.04E+00	3.28E-02	-1.92E-01
Contribution to climate change-land use and land use change	kg CO2 eq	3.72E-07	4.85E-08	0*	0*	0*	3.23E-07	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	7.71E-06	2.13E-06	4.05E-06	1.59E-09	1.50E-06	2.88E-08	-8.96E-07
Contribution to acidification	mol H+ eq	2.68E+00	2.12E-01	1.99E-02	5.40E-04	2.43E+00	8.43E-03	-5.55E-02
Contribution to eutrophication, freshwater	kg (PO4) <sup>3-</sup> eq	1.39E-03	7.55E-04	5.37E-07	1.99E-07	2.46E-05	6.11E-04	-2.30E-05
Contribution to eutrophication marine	kg N eq	3.80E-01	4.68E-02	9.17E-03	2.55E-04	3.21E-01	2.55E-03	-3.59E-03
Contribution to eutrophication, terrestrial	mol N eq	4.90E+00	5.08E-01	9.93E-02	2.60E-03	4.26E+00	3.00E-02	-3.96E-02
Contribution to photochemical ozone formation - human health	kg COVNM eq	1.23E+00	1.40E-01	3.26E-02	6.24E-04	1.05E+00	7.45E-03	-1.40E-02
Contribution to resource use, minerals and metals	kg Sb eq	2.70E-04	2.32E-04	0*	0*	1.86E-05	1.90E-05	-2.13E-04
Contribution to resource use, fossils	MJ	1.07E+04	6.12E+02	5.71E+01	0*	1.00E+04	3.06E+01	-8.75E+01
Contribution to water use	m3 eq	8.21E+00	0*	2.33E-01	9.50E-02	1.68E+01	1.13E+00	-1.95E+00

Inventory flows Indicators		PowerLogic PFC Capacitors - BLRCH250A300B40						
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	7.06E+02	1.22E+01	0*	0*	6.93E+02	5.01E-01	-4.15E+00
Contribution to use of renewable primary energy resources used as raw material	MJ	1.09E+01	1.09E+01	0*	0*	0*	0*	0.00E+00
Contribution to total use of renewable primary energy resources	MJ	7.17E+02	2.32E+01	0*	0*	6.93E+02	5.01E-01	-4.15E+00
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1.07E+04	5.32E+02	5.71E+01	0*	1.00E+04	3.06E+01	-8.75E+01
Contribution to use of non renewable primary energy resources used as raw material	MJ	8.02E+01	8.02E+01	0*	0*	0*	0*	0.00E+00
Contribution to total use of non-renewable primary energy resources	MJ	1.07E+04	6.12E+02	5.71E+01	0*	1.00E+04	3.06E+01	-8.75E+01
Contribution to use of secondary material	kg	8.49E-01	8.49E-01	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	1.91E-01	0*	5.42E-03	2.21E-03	3.90E-01	2.64E-02	-4.54E-02
Contribution to hazardous waste disposed	kg	2.66E+01	2.05E+01	3.80E-03	0*	6.11E+00	1.60E-02	-1.88E+01
Contribution to non hazardous waste disposed	kg	9.74E+01	1.60E+01	0*	1.04E+00	7.78E+01	2.60E+00	-1.01E+01
Contribution to radioactive waste disposed	kg	3.65E-02	7.34E-03	9.13E-04	0*	2.81E-02	1.02E-04	-7.94E-03
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	6.68E-01	8.71E-02	0*	0*	0*	5.81E-01	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	6.67E-03	9.32E-04	0*	0*	0*	5.74E-03	0.00E+00

\* represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product kg of C 0.00E+00

Contribution to biogenic carbon content of the associated packaging kg of C 2.53E-01

Mandatory Indicators		PowerLogic PFC Capacitors - BLRCH250A300B40							
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	6.48E+02	0*	0*	0*	0*	0*	6.48E+02	0*
Contribution to climate change-fossil	kg CO2 eq	6.47E+02	0*	0*	0*	0*	0*	6.47E+02	0*
Contribution to climate change-biogenic	kg CO2 eq	1.04E+00	0*	0*	0*	0*	0*	1.04E+00	0*
Contribution to climate change-land use and land use change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	1.50E-06	0*	0*	0*	0*	0*	1.50E-06	0*
Contribution to acidification	mol H+ eq	2.43E+00	0*	0*	0*	0*	0*	2.43E+00	0*
Contribution to eutrophication, freshwater	kg (PO4)³⁻ eq	2.46E-05	0*	0*	0*	0*	0*	2.46E-05	0*
Contribution to eutrophication marine	kg N eq	3.21E-01	0*	0*	0*	0*	0*	3.21E-01	0*
Contribution to eutrophication, terrestrial	mol N eq	4.26E+00	0*	0*	0*	0*	0*	4.26E+00	0*
Contribution to photochemical ozone formation - human health	kg COVNM eq	1.05E+00	0*	0*	0*	0*	0*	1.05E+00	0*
Contribution to resource use, minerals and metals	kg Sb eq	1.86E-05	0*	0*	0*	0*	0*	1.86E-05	0*
Contribution to resource use, fossils	MJ	1.00E+04	0*	0*	0*	0*	0*	1.00E+04	0*
Contribution to water use	m³ eq	1.68E+01	0*	0*	0*	0*	0*	1.68E+01	0*

Inventory flows Indicators		PowerLogic PFC Capacitors - BLRCH250A300B40							
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	6.93E+02	0*	0*	0*	0*	0*	6.93E+02	0*
Contribution to use of renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of renewable primary energy resources	MJ	6.93E+02	0*	0*	0*	0*	0*	6.93E+02	0*
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1.00E+04	0*	0*	0*	0*	0*	1.00E+04	0*
Contribution to use of non renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of non-renewable primary energy resources	MJ	1.00E+04	0*	0*	0*	0*	0*	1.00E+04	0*
Contribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to net use of freshwater	m³	3.90E-01	0*	0*	0*	0*	0*	3.90E-01	0*
Contribution to hazardous waste disposed	kg	6.11E+00	0*	0*	0*	0*	0*	6.11E+00	0*
Contribution to non hazardous waste disposed	kg	7.78E+01	0*	0*	0*	0*	0*	7.78E+01	0*
Contribution to radioactive waste disposed	kg	2.81E-02	0*	0*	0*	0*	0*	2.81E-02	0*
Contribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*

\* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2, database version 2023-02 in compliance with ISO14044, EF 3.0 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	ENVPEP1612005_V3	Drafting rules	PCR-4-ed4-EN-2021 09 06
Date of issue	11-2024	Supplemented by	PSR-0005-ed3.1-EN-2023 12 08
		Information and reference documents	<a href="http://www.pep-ecopassport.org">www.pep-ecopassport.org</a>
		Validity period	5 years
Independent verification of the declaration and data, in compliance with ISO 14021 : 2016			
Internal <input checked="" type="checkbox"/> External <input type="checkbox"/>			
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)			
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022			
The components of the present PEP may not be compared with components from any other program.			
Document complies with ISO 14021:2016 "Environmental labels and declarations. Type II environmental declarations"			

Schneider Electric Industries SAS  
Country Customer Care Center  
<http://www.se.com/contact>  
35, rue Joseph Monier  
CS 30323  
F- 92500 Rueil Malmaison Cedex  
RCS Nanterre 954 503 439  
Capital social 928 298 512 €

[www.se.com](http://www.se.com)

ENVPEP1612005\_V3

Published by Schneider Electric  
©2024 - Schneider Electric – All rights reserved

11-2024