

PRODUCT-DETAILS

CI12-AS2

CONNECTOR INTERFACE AMP SUPERSEAL 2



General Information

Extended Product Type	CI12-AS2
Product ID	7TCA298010R0287
EAN	5020963021725
Catalog Description	CONNECTOR INTERFACE AMP SUPERSEAL 2
Long Description	Hinged Connector Interface Fitting, Straight, 2-Way AS-AMP Superseal Connector to Conduit, Conduit Size NC12/NW10, Operating Temperature -40 to 120 Degrees Celsius, RoHS Compliant, IP40 Rating, Very High UV Protection, Polyamide (Nylon), Black

Ordering

EAN	5020963021725
Customs Tariff Number	3917400090

Dimensions

Product Net Weight	.004 lb
	1.814 g

Container Information

Package Level 2 Units	500 piece
Package Level 2 Width	15 in
	381 mm

Package Level 2 Height	6 in 152 mm
Package Level 2 Depth / Length	13 in 330 mm

Additional Information

Application	Provide Connection Between Connector Interface and Conduit
Brand / Label	Harnessflex
Color	Black
Insulation Material	IP40
Material	Polyamide/Nylon
Number of Batteries	0
Product Name	HARNESSFLEX
Product Type	Hinged AS-AMP Superseal Connector to Conduit
Size	Conduit Size NC12/NW10
Special Functions	High Pull-Off Strength
Standards	RoHS Compliant
Temperature Range	-40 to 120 °C
UPC	786210273136

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CI12-AS2
Declaration of Conformity - CE	9AKK107492A9616
Instructions and Manuals	CI12-AS2

Classifications

UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

