




Compact lights
4017506116766
L 388, B 370, H 105

portable
black



Mobile work light. Impact-resistant and break-proof 2-component plastic housing. Edge protection and handle with soft plastic (thermoplastic elastomer - TPE). Cover opal, made of impact- and break-resistant plastic (polycarbonate). Uniform, soft and glare-reduced illumination thanks to multi-LED technology, opal cover and large light emission surface. Beam angle adjustable with handle. Heavy rubber power supply cable H07RN-F for high mechanical loads with mains plug. Extensive accessories optionally available (tripods, mounting rails, magnetic holders, etc.). Luminaire with limited surface temperature in accordance with EN 60598-2-24.

Product specifications

Length L	388 mm
Width B	370 mm
Height H	105 mm
Weight	3.45 kg
Supply cable / plug	5 m, H07RN-F, 2 x 1,0 mm ² / Typ E+F (CEE 7/17)
Light source	LED
Colour temperature	5000 K
Rated luminous flux	8000 lm
System power	75 W
System efficiency	107 lm/W
Glare evaluation RUG (4H 8H)	26,5
Beam angle	100°
Colour rendering index (CRI)	80
Photobiological safety according to EN 62471	Risk group 0
Driver	Converter
Control	on/off
Voltage	220 - 240 V / 50 Hz, 60 Hz
Inrush current / Inrush current duration	/ 70 µs
CIE Flux Code / CEN Flux Code	51 82 97 100 100
Type of protection	IP 66
Protection class	II
Filament test	850°C - 30 seconds
Impact resistance	IK08 (5 Joule)
Ambient temperature	-20 °C bis + 40 °C
Safety marks	D-mark
Conformity mark	CE

Accessories



95-0170-0001
Tripod 'Standard', without castors, set with mounting rail for 1 work light



95-0171-0001
Tripod Standard 'Standard', with castors, set with mounting rail for 1 work light



95-0172-0001
Tripod 'Standard', without castors, set with mounting rail for 2 work lights



95-0268-0001
Mounting rail for one GLADIATOR SL I or SL II



95-0061-0001
Tripod 'Profi', 3-part, extendable up to 3.20 m



95-0173-0001
Tripod 'Standard', with castors, set with mounting rail for 2 work lights



95-0269-0001
Mounting rail for 2x GLADIATOR SL I or SL II



95-0290-0006
Transport bag for work light

