



Accessories and spare parts

Article no.	EAN no.	Name	Description	Image
088L1053	5703466214602	ECfast 5 m Metal In box		
088L1054	5703466214619	ECfast 25 m Metal In box		
088L0028	5703466161463	Danfoss Continuity tester - Little Buzzer - Continuity Alarm	Simplify your installation process by using the Continuity Tester. The Continuity Tester is designed to monitor heating mats and/or cables during installation process and sounds an alarm if the heating element is cut or damaged. This allows an easy repair before the floor covering is laid. The device is battery powered with a set of batteries included. Note: A continuity alarm does not replace that need for measuring and verifying the ohm and insulation resistances three times throughout the installation for warranty purposes.	
088L3002	5703466175279	Spaceclip for self-limiting cables	300 x 5 x 70 mm	
088L3001	5703466239285	RX-C Roof Clip (50 pcs in bag)		
088L0409	5703466130216	Tape aluminium 38 mm x 50 m	Self-adhesive, with 2-colour warning label Backing Aluminium foil Adhesive Waterbased Acrylic Liner Monosiliconized Paper Adhesion/Steel 8 N/ 38 mm Tensile strength 57,5 N/ 25 mm Total thickness 60 µm	
088L1006	5703466148655	3/4" + 1" Pipe fitting for ECpipeheat 10 (SLPH-10)	With rubber conic sliced sleeve, oval hole. Max. water pressure – 10 Bar at max. water temperature 23 °C	
19805372	5703466237984	3/4" + 1" Pipe fitting for blue ECaqua™ 9T 	With rubber conic sleeve, round hole. Max. water pressure – 10 Bar at max. water temperature 23 °C. Approved for use in contact with drinking water up to 23 °C (Danish GDV certificate)	

Article no.	EAN no.	Name	Description	Image
19806401	5703466071830	Danfoss crimp for ECpipeheat 10, Connection box		
19806415	5703466074985	Danfoss crimp for ECpipeheat 10, Connection cable		

Article no.	EAN no.	Name	Description	Image
088L0413	5703466130247	Connecto B-A Connection	130 x 265 x 75 mm	
088L0414	5703466130254	Connecto B-C Heating tape connection	130 x 265 x 75 mm	
088L0415	5703466130261	Connecto B-E End termination	130 x 265 x 75 mm	
088L0494	5703466228067	Connecto B-E 5 pcs in plastic bag	300 x 200 x 30 mm	
088L0416	5703466130278	Connecto B-S Connection termination	130 x 265 x 75 mm	
088L0417	5703466130285	Connecto B-T Y-junction+end terminat.	130 x 265 x 75 mm	
088L0418	5703466130292	Connecto B-TE2 Y-junction+2 end terminat	130 x 265 x 75 mm	
088L0419	5703466130308	Connecto B-TE3 Y-junction+3 end terminat	130 x 265 x 75 mm	
088L0420	5703466130315	Connecto B-X X-junction+2 end terminat	130 x 265 x 75 mm	