


POWERTUBE II L

73P03000-0006 |



Large-area lights
4017506119484
D 270, H 850

portable
grey



Large area luminaire. Housing: aluminium, powder-coated. Base plate of steel, powder-coated, with rubber feet. Cover opal, made of impact- and break-resistant plastic (polycarbonate). Uniform, soft and glare-reduced illumination. Can be used on a tripod, as a floor lamp or suspended. Holding sleeve for stand spigot d=30mm, DIN 14640. Toggle switch (off, 180° illumination, 360° illumination). Incl. carrying bag.

Product specifications

Diameter D	270 mm
Height H	850 mm
Weight	13.42 kg
Supply cable / plug	5 m, H07RN-F, 2 x 1,0 mm ² /
additional functions	with switch
Light source	LED
Colour temperature	5000 K
Rated luminous flux	25000 lm 50000 lm
System power	186 W 372 W
System efficiency	134 lm/W 134 lm/W
Glare evaluation RUG (4H 8H)	28,8 30,4
Beam angle	down 180° 90°/90°/0°/90° up 180° 90°/90°/0°/90°
LED rated life	50000 h (L80/B50)
Colour rendering index (CRI)	80
Photobiological safety according to EN 62471	Risk group 0
Driver	Converter
Control	on/off
Voltage	220 - 240 V / 50 Hz, 60 Hz
Luminaires on B10A fuse	1
Luminaires on B16A fuse	2
Luminaires on C10A fuse	2
Luminaires on C16A fuse	4
Inrush current / Inrush current duration	200 A / 209 µs
CIE Flux Code / CEN Flux Code	12 36 66 50 100
Type of protection	IP 65
Protection class	II
Filament test	850 °C
Impact resistance	IK08
Ambient temperature	-25 °C bis + 30 °C
Safety marks	D-mark
Conformity mark	CE

Accessories

	95-0060-0014.D Crank tripod 'Premium', Hmax 3,80 m, Hmin 1,74m		95-0266-0001 Rubberized joint feet for Crank tripod 'Premium' (Set 3x)
	95-0265-0040 Carrier box for telescopic tripod 'Premium', wood, 2 carrier handles		95-0060-0014S1 Crank tripod 'Premium', incl. Tripod adapter d=30 mm (DIN 14640), bracing set and carrier box
	95-0257-0014 Tripod 'Professional', Hmax 4,45m, Hmin 1,1m		95-0267-0001 Bracing set, 3x rope cord and peg
	95-0264-0001 Carrier box for telescopic tripod 'Professional', black, 2 carrying belt, 1 shoulder belt		95-0258-0040 Transport box for telescopic tripod 'Professional'
	95-0257-0014S1 Set Tripod "Professional", includes Tripod 'Professional' and carrier box		95-0225-0001 Belt strap incl. snap hook

Spareparts

	95-0060-0014.D Crank tripod 'Premium', Hmax 3,80 m, Hmin 1,74m		95-0266-0001 Rubberized joint feet for Crank tripod 'Premium' (Set 3x)
	95-0265-0040 Carrier box for telescopic tripod 'Premium', wood, 2 carrier handles		95-0060-0014S1 Crank tripod 'Premium', incl. Tripod adapter d=30 mm (DIN 14640), bracing set and carrier box
	95-0257-0014 Tripod 'Professional', Hmax 4,45m, Hmin 1,1m		95-0267-0001 Bracing set, 3x rope cord and peg
	95-0264-0001 Carrier box for telescopic tripod 'Professional', black, 2 carrying belt, 1 shoulder belt		95-0258-0040 Transport box for telescopic tripod 'Professional'
	95-0257-0014S1 Set Tripod "Professional", includes Tripod 'Professional' and carrier box		95-0225-0001 Belt strap incl. snap hook

POWERTUBE II L

73P03000-0006 |

