



CGM-2-09-80C-NFC-E



Standards

EN 60903 : 2003

IEC 60903 : 2014

ST HTA 126 A : Indice 2

Long Electrical insulating gloves with mechanical protection, class 2 - 17 000 V AC

Application:

- Comfortable: soft, durable and ergonomic with high flexibility to ease the work.
- Bell cuff, cut edges.
- Convenient to any hand shape and arm.
- Resistant: latex with reinforced mechanical protection against tearing. To be used without over-gloves.

Features:

- Electrical insulating gloves, class 2 (17 000 V AC, 25 500 V DC). Protection against electric arc. Length : 800 mm
- Material: bicolor natural latex. (exterior: orange, interior: natural).
- Traceability through flashcode on color-coded label. The color is according to the class.

[Data Sheet Doc EU](#)

[User Manual Leaflet1](#)

[Video](#)

Reference	Size	Length (mm)	Class	Operating Voltage AC	Operating Voltage DC	ATPV (cal/cm ²)	Box Test	Category
CGM-2-09-80C-NFC-E	9	800	2	17 000 V	25 500 V	12	7kA / 30 cm	RC

Related Products



CG-35-2

Transport box and wall box for insulating gloves

[View](#)



CG-80-H

Undergloves for insulating gloves. Man size

[View](#)



CG-117

Pneumatic tester for insulating gloves

[View](#)