



# SCOREL

Notice de montage  
 Mounting instruction  
 Montageanleitung




**Sammode**




**Ne pas ouvrir sous tension**  
**Do not open when energized**  
**Nicht unter Spannung öffnen**

**SI option :**



	Ø (mm)	L (mm)	Entraxe max (mm)	SI option ( sensor )		Poids (kg)
				L (mm)	Entraxe max (mm)	
SCOREL	70	715	635	800	720	1,3
SCOREL	70	995	915	1080	1000	2
SCOREL	70	1275	1195	1360	1280	2,7
SCOREL	70	1560	1480	1645	1565	3,5

# Installation & raccordement / Wiring / Verkabelung



- 
- 
- 
- 
- 
- 
- 
- 
- 
-

# Maintenance


Maintenance / Wartung

5




Ne pas ouvrir sous tension  
Do not open when energized  
Nicht unter Spannung öffnen


1.




2.




3.




4.




5.




6.



7.





8.



# Instructions

## Mounting instructions Montageanweisungen

### 1. Position & câble / Position & cable / Position




Vérifier impérativement la correcte fermeture des organes d'étanchéité du produit, y compris pour les produits livrés précâblés.

Make sure to check that all sealing elements are correctly in place and closed, even for light fittings delivered pre-cabled.

Die richtige Verschließung der Dichtungselemente unbedingt überprüfen, auch bei Leuchten, die vorverkabelt geliefert sind.

### 2. Flasques / End caps / Endkappen



### 3. Joint d'étanchéité / Gasket / Dichtung

