



GE  
Lighting



300  
kWh/1000h

A  
energy class

76  
lumens/watt

Arcstream™ Tubular Clear  
ARC250/T/H/960/E40

32664

## Product information

High brightness, high quality white light with good colour rendition and energy efficiency makes GE Metal Halide lamps suitable for many commercial and industrial interiors, particularly in high ceiling areas.

## Application areas



Office




Industrial



Car park



Commercial areas



WORLDWIDE PARTNER

## Product data

Cap/Base	E40
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	220
Light Center Length [mm]	150
Net weight per piece [g]	156
Gross weight per piece [g]	192
Operating position	H45 - Horiz 45 degrees
Mercury Content [mg]	13.574
UV radiance	Exempt
Brand	General Electric (GE)

## Performance data

Colour Code	960
Colour Rendering Index (CRI) [Ra]	90
Nominal correlated colour temperature (CCT) [K]	6000
Nominal lumens [lm]	19000
Rated Lumens [lm]	19210
Nominal efficacy [LpW]	76
Rated efficacy [LpW]	70.5
Energy efficiency class (EEC)	A
Weighted energy consumption [kWh/1000h]	299.58


## Electrical data

Nominal power [W]	250
Rated power [W]	272.3
Nominal lamp voltage [V]	112
Lamp Current [A]	2.8
Design Ambient Temperature [°C]	25
Run-up time (sec)	270
Hot restart time (sec)	420
Ballast Required	Yes


## Logistic data

DUN Code	19004102326646
EAN Code	9004102326649
Pack Quantity	12
Inner pack type	SLEEVE
Layer quantity	288 EUR, 372 UK
Layer quantity EUR	288
Layer quantity UK	372
Pallet quantity EUR (PC)	864
Pallet quantity UK (PC)	1116
Outer case size	215 x 162 x 284 (mm)

## Lumen maintenance data



## Survival data



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[HID Lamps Spectrum Catalogue \(EN\) \(PDF\)](#)

[Arcstream™ Tubular, Elliptical Data sheet \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)