

The solution for cable and sheath coils

- Unwinding a coil is a real problem on the sites: either the plastic film is retained and one gets a completely twisted "pigtail" ; or it is removed and then it becomes difficult to recover the coil at the end of the day.
 - With SATELLITE, one can keep the blister packaging: the rotation of the tray prevents the cable from getting twisted.
 - With a large diameter of 750 mm, SATELLITE is well suited for both cables and sheaths, pre-wired or not.
 - Made of galvanised steel, SATELLITE is incredibly resistant.
 - Stability is ensured by a weighted base and 3 well-distanced legs.
 - The position of the vertical spindles (height: 300 mm) can be adjusted for properly maintaining the coil from the interior (from 140 to 230 mm).
 - Unfolded dimensions: Ø 750 x h 440 mm
- Patented model*

Code E3500750



For cables

Can be fully dismantled


- A coil holder with such a diameter would be of no use if it cannot be dismantled: it only takes a couple of seconds to assemble or dismantle SATELLITE.
- All of the parts (central part, 3 legs, 3 bars, 3 vertical spindles) can be packed in a bag which can be carried over the shoulder, thus leaving one's hands free.
- Weight: only 8.3 kg



For sheaths

Can also be used with small cable drums

- By removing the vertical spindles.
- Very useful for horizontal unwinding when the flanges of the cable drum are broken.
- Central shaft diameter: 25 mm, height: 330 mm.



[Video click here](#)